

Serie | 6, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGE36AWCA



The bottom freezer with VitaFresh ◀0°C▶ Box: keeps your meat and fish fresher for longer

- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- LED lights bring a completely new lighting concept to fridges
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **EasyAccess Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **LowFrost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

Technical Data

Energy Efficiency Class: C

Average annual energy consumption in kilowatt hour per year (kWh/a): 149 kWh/annum

Sum of volume of frozen compartments: 94 l

Sum of volume of chill compartments: 214 l

Airborne acoustical noise emissions : 38 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Construction type: Free-standing

Door panel options: Not possible

Width of the appliance: 600 mm

Depth of the product: 650 mm

Net weight: 68.860 kg

Connection rating: 90 W

Fuse protection: 10 A

Door hinge: Right reversible

Voltage: 220-240 V

Frequency: 50 Hz

Approval certificates: CE, VDE

Length of electrical supply cord: 240 cm

Storage Period in Event of Power Failure (h): 18 h

Number of compressors: 1

Number of independent cooling systems: 2

Interior ventilator: Yes

Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 2

Shelves for Bottles: Yes

Frost free system: No

Installation type: N/A

Included accessories

3 x egg tray



Serie | 6, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGE36AWCA

The bottom freezer with VitaFresh ◀0°C▶ Box: keeps your meat and fish fresher for longer

Functions

- White doors and white side panels
- Integrated vertical handle
- Bright interior LED fridge light

Design features

- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Acoustic alarm
- Freezer malfunction warning signal: optical and acoustical warning system
- Holiday mode
- Super Cooling: automatic deactivation
- Automatic defrost fridge

Design features

- 4 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 2 small.
- Metal bottle rack

Freshness System

- Capacity in 0° C section: 22 l
- 1 VitaFresh drawer - Fish and meat stay fresh for longer
- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

Key features - Freezer section

- 3 x egg tray


Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Performance and Consumption

- EU19_EEK_D: C
- Total Volume : 308 l
- Net Fridge Volume : 214 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 5.5 kg
- Annual Energy Consumption: 149 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 38 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 18 H

Serie | 6, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGE36AWCA



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification

a) Height
b) Width
c) Depth with door closed, without handle and without flexible spacing piece
d) Cabinet depth without flexible spacing piece
e) Width with door opened to 90°
f) Depth with door opened, without handle and without flexible spacing piece
g) Depth with door closed, with handle and without flexible spacing piece
h) Depth with door closed, without handle and with flexible spacing piece

measurements in mm