

# Serie | 4, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGV36VLEAG





Included accessories 3 x egg tray

# The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- LED lights bring a completely new lighting concept to fridges
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **EasyAccess Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- LowFrost: defrost less often thanks to lower ice formation saves work and is energy-efficient.

# **Technical Data**

A G E

> Energy Efficiency Class: E Average annual energy consumption in kilowatt hour per year (kWh/a): 233 kWh/annum Sum of volume of frozen compartments: 94 l Sum of volume of chill compartments: 214 l Airborne acoustical noise emissions : 39 dB(A) re 1 pW Airborne acoustical noise emission class: C Construction type: Free-standing Door panel options: Not possible Width of the appliance: 600 mm Depth of the product: 650 mm Net weight: 67.572 kg Connection rating: 90 W Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Frequency: 50 Hz Approval certificates: CE, VDE Length of electrical supply cord: 240 cm Storage Period in Event of Power Failure (h): 17 h Number of compressors: 1 Number of independent cooling systems: 1 Interior ventilator: No Reversible Door Hinge: Yes Number of Adjustable Shelves in fridge compartment (Stck): 2 Shelves for Bottles: Yes Frost free system: No Installation type: N/A





# Serie | 4, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGV36VLEAG

The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

#### Functions

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated vertical handle
- Bright interior LED fridge light

#### **Design features**

- LED electronic control
- SuperFreezing function with automatic deactivation
- Automatic defrost fridge

## **Design features**

- 4 removable safety glass shelves of which 2 are easy pull out
- Metal bottle rack
- Door shelves in fridge door: 1 large and 2 small.

#### **Freshness System**

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

#### Food freshness system

- LowFrost less ice creation and therefore quicker defrosting
- VarioZone adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

#### **Dimension and installation**

- Dimensions: 186 cm H x 60 cm W x 65 cm D

#### **Key features - Fridge section**

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet for easy and convenient defrosting
- Connection value 90 W
- **-** 220 240 V

## **Key features - Freezer section**

- 3 x egg tray

#### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without

the distance holder is fully functional, but has a slightly higher energy consumption.

# Additional features

# **Design features**

## **Dimension and installation**

#### **Performance and Consumption**

- EU19 EEK D: E
- Total Volume : 308 l
- Net Fridge Volume : 214 |
- Net Freezer Volume : 94 |
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- EU19\_Fast freezer facility\_D
- Noise Level : 39 dB , EU19\_Noise emission class\_D: C
- Temperature rise time : EU19\_Temperature rise time\_D: 17 H



Serie | 4, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGV36VLEAG

	Device name	а	b	С	d	e	f	9	h
	KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
	KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
	KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
	KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690
	Specification 8 Heigh 9 Heigh 9 With the Heigh 9 With the Heigh and the Height and without flexible spacing piece 9 Calcium depth without flexible spacing piece 9 With with our operand to 90° 10 Depth with our operand to 90° 10 Depth with our operand without hand and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth with our operand without hands and without flexible spacing piece 10 Depth without operand without operand without flexible spa								