

**Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, White  
KGV39VWEAG**



**The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.**

- **VitaFresh:** vitamin rich fruit & vegetables stay fresh for longer in a climate controlled drawer.
- LED lights bring a completely new lighting concept to fridges
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **EasyAccess Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **LowFrost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

**Technical Data**

Energy Efficiency Class: E

Average annual energy consumption in kilowatt hour per year (kWh/a): 233 kWh/annum

Sum of volume of frozen compartments: 94 l

Sum of volume of chill compartments: 249 l

Airborne acoustical noise emissions : 39 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Construction type: Free-standing

Door panel options: Not possible

Width of the appliance: 600 mm

Depth of the product: 650 mm

Net weight: 71.759 kg

Connection rating: 90 W

Fuse protection: 10 A

Door hinge: Right reversible

Voltage: 220-240 V

Frequency: 50 Hz

Approval certificates: CE, VDE

Length of electrical supply cord: 240 cm

Storage Period in Event of Power Failure (h): 17 h

Number of compressors: 1

Number of independent cooling systems: 1

Interior ventilator: No

Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment (Stck): 2

Shelves for Bottles: Yes

Frost free system: No

Installation type: N/A



**Included accessories**

3 x egg tray



4 242005 197712

## Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, White KGV39VWEAG

### The lowFrost bottom freezer with VitaFresh Box: very efficient- keeps your fruits and vegetables fresher for longer.

#### Functions

- White doors and white side panels
- Integrated vertical handle
- Bright interior LED fridge light

#### Design features

- LED electronic control
- SuperFreezing function with automatic deactivation
- Automatic defrost fridge

#### Design features

- 5 removable safety glass shelves of which 2 are easy pull out
- Metal bottle rack
- Door shelves in fridge door: 1 large and 3 small.

#### Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

#### Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- VarioZone - adaptable storage for more flexibility
- 3 transparent freezer drawers, including 1 BigBox

#### Dimension and installation

- Dimensions: 201 cm H x 60 cm W x 65 cm D

#### Key features - Fridge section

- Right hinged door, door reversible
- Height adjustable front feet
- Defrost water outlet - for easy and convenient defrosting
- Connection value 90 W
- 220 - 240 V

#### Key features - Freezer section

- 3 x egg tray

#### Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without

the distance holder is fully functional, but has a slightly higher energy consumption.

#### Additional features


#### Design features

#### Dimension and installation

#### Performance and Consumption

- EU19\_EEK\_D: E
- Total Volume : 343 l
- Net Fridge Volume : 249 l
- Net Freezer Volume : 94 l
- Freezing capacity 24h : 4.5 kg
- Annual Energy Consumption: 233 kWh/a
- Climate Class: SN-T
- EU19\_Fast freezer facility\_D
- Noise Level : 39 dB , EU19\_Noise emission class\_D: C
- Temperature rise time : EU19\_Temperature rise time\_D: 17 H

## Serie | 4, Free-standing fridge-freezer with freezer at bottom, 201 x 60 cm, White KGV39VWEAG



Device name	a	b	c	d	e	f	g	h
KGV39N-GE39 (inner handle)	2010	600	650	580	600	1200	650	690
KGV39N-GE39 (outer handle)	2010	600	650	580	640	1200	650	690
KGE49 (inner handle)	2010	700	650	580	700	1300	650	690
KGE49 (outer handle)	2010	700	650	580	740	1300	650	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm