N 90, Fully-integrated dishwasher, 60 cm S189YCX01E



COOKING PASSION SINCE 1877











Ontional accessories

Z7860X0 ACCESSORIES DISHWASHER

Z7860X3 Stainless steel protection set 81,5 cm

Z7863X0 Cutlery basket

Z7871X0 Silver polishing cassette

The dishwasher with cutlery drawer that's flexible to load and offers the comfort of door opening with a light push.

- $\sqrt{}$ Home Connect Add your dishwasher to your home network and enjoy the infinite possibilities of connected services
- $\sqrt{\mbox{ Flex 2 Baskets}}$ Flexible baskets, Rack Matic and Flex Cutlery Drawer offers easy loading solutions
- $\sqrt{\text{Zeolith}^{\text{@}}}$ Outstanding dishwasher drying using natural minerals.
- $\sqrt{}$ Door Open Assist Just push the door gently to open.
- $\sqrt{}$ TimeLight the time remaining in the programme is projected onto the floor

Features

Technical Data

Energy Efficiency Class : B

Energy Consumption for 100 cycles Eco Programme: 65 kWh

Maximum number of place settings: 14

The water consumption of the eco programme in liters per cycle : $9.5\,$

- 1

Programme duration: 3:55 h

Airborne acoustical noise emissions : 43 dB(A) re 1 pW

Airborne acoustical noise emission class: B

Construction type : Built-in

 $Height\ of\ removable\ worktop:0\ mm$

Dimensions of the product (HxWxD) : $815 \times 598 \times 550\,$ mm Required niche size for installation (HxWxD) : $815-875 \times 600 \times 550\,$

mm

Approval certificates : CE, VDE

Depth with open door 90 degree : 1150 mm Adjustable feet : Yes - all from front Maximum adjustability feet : 60 mm

Adjustable plinth: both horizontal and vertical

Net weight: 43.702 kg Gross weight: 46.0 kg Connection rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length of electrical supply cord: 175 cm Plug type: Gardy plug w/ earthing Length inlet hose: 165 cm Length outlet hose: 190 cm EAN code: 4242004254157 Installation type: Full-integrated





Features

New for 2021

Performance

- Energy Efficiency Class¹: B
- Energy² / Water³: 65 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 43 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

Programmes / functions

- 8 programmes: Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 5 special options: Remote Start, Extra Shine, Power Zone, Extra Hygiene, Extra Speed
- Easy Clean programme
- Silence on Demand (via app)

Flexible design elements

- Flex 2 baskets with coloured TouchPoints
- Flex Cutlery Drawer loading on 3rd level
- ullet 3 stage Rackmatic height-adjustable top basket
- Ball bearing wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Home Connect Wi Fi enabled, for dishwasher control
- \bullet Zeolith Energy efficient and hygienic drying
- Open Dry and Heat Exchanger
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- DetergentAware
- Aqua and loading sensor
- Neff Sparkle glass care system

Design features

- TFT display with high-definition colour
- TouchControl (metallic)
- Push button top controls
- White interior EmotionLight
- Real Time Clock
- Time Light Light projection on the floor
- doorOpen Assist Simple to use, designed for handleless kitchens
- Time delay (3, 6 or 24 hours)
- Childlock when activated double push to open
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*
- Self-cleaning filter system with 3 piece corrugated filter
- including Steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- 3 Water consumption in litres per cycle (in programme Eco 50 °C)
- ⁴ Duration of programme Eco 50 °C



Dimensioned drawings measurements in mm