

Serie | 4, Free-standing dishwasher, 60 cm, Stainless steel, lacquered SGS4HCI40G





Optional accessories

SGZ1010 : inlet and outlet hose extention SMZ5100 : Vario-cutlery basket

Easy loading of your dishes and an option for extra-thoroughly dry dishes with just one push of a button.

- ExtraDry: extra drying option for difficult-to-dry loads.
- Flex baskets: flexible and practical solution for easy loading.
 VarioDrawer: 3rd level loading for cutlery and smaller kitchen utensils.
- Favourite function: personalised function by just one touch.
- Silence Plus: the remarkably quiet 44 dB dishwasher

Technical Data

A G D

> Energy Efficiency Class: D Energy Consumption for 100 cycles Eco Programme: 85 kWh Maximum number of place settings: 14 The water consumption of the eco programme in liters per cycle: 9.5 I Programme duration: 4:55 h Airborne acoustical noise emissions : 44 dB(A) re 1 pW Airborne acoustical noise emission class: B Construction type: Free-standing Height of removable worktop: 30 mm Dimensions of the product (HxWxD): 845 x 600 x 600 mm Approval certificates: CE, VDE Depth with open door 90 degree: 1155 mm Adjustable feet: Yes - all Maximum adjustability feet: 20 mm Adjustable plinth: No Net weight: 51.185 kg Gross weight: 53.5 kg Connection rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz Length of electrical supply cord: 175 cm Plug type: GB plug Length inlet hose: 165 cm Length outlet hose: 190 cm EAN code: 4242005324064 Installation type: Built-under





Serie | 4, Free-standing dishwasher, 60 cm, Stainless steel, lacquered SGS4HCI40G

Easy loading of your dishes and an option for extra-thoroughly dry dishes with just one push of a button.

New for 2021

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C , Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 3 special options: Extra Dry, Half Load, SpeedPerfect+
- Machine Care

Flexible design elements

- Flex basket system
- VarioDrawer loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf

Innovations and technology

- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- Aqua and loading sensor
- AquaMix Glass protection system

Design features

- Time delay (3, 6 or 24 hours)
- Remaining programme time indicator (min)
- Leak protection system
- Tamperproof controls
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
 ⁴ Duration of programme Eco 50 °C



Serie | 4, Free-standing dishwasher, 60 cm, Stainless steel, lacquered SGS4HCI40G

