N 50, Built-in double oven, Stainless steel U1ACE5HN0B





Included accessories

3 x combination grid, 1 x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated

Z11CB10E0 Baking tray, grey enamelled

Z11CR10X0 Baking and roasting grid (standard)

Z11TF36X0 3 level telescopic rails, full ext

Z11TI15X0 Cliprails Z1913X0 Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\,}$ LCD-Display simple, straightforward with large characters for clear reading
- $\sqrt{\,}$ Cliprails Place dishes exactly where you want them in your oven.

Features

Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in Integrated Cleaning system : No Dimensions : 888 x 594 x 550 mm

Dimensions of the packed product (HxWxD) : $960 \times 690 \times 660$ mm

Control Panel Material : Glass Door Material : Glass Net weight : 53.793 kg Usable volume of cavity : 71 l

Cooking method: Bottom heat, Conventional heat, Full width grill,

Hot Air, Hotair gentle, Hot air grilling, Pizza setting

Oven control : mechanical Number of interior lights : 1 Approval certificates : CE, VDE EAN code : 4242004234043 Energy efficiency rating : A

Energy consumption per cycle conventional (2010/30/EC) : 1.02 $\,$

kWh/cycle

Energy consumption per cycle forced air convection (2010/30/EC) :

0.81 kWh/cycle

Energy efficiency class (2010/30/EC) - cavity 2 : B

Energy consumption per cycle conventional - cavity 2 (2010/30/EC) :

0.83 kWh/cycle

Energy efficiency index (2010/30/EC): 95.3 %

Energy efficiency index cavity 2 (2010/30/EC) : 120.3 %

Connection rating: 5900 W Fuse protection: 32 A Voltage: 220-240 V Frequency: 50 Hz

Plug type: fixed connection, no plug





Features

• LCD Display (White)

Features

- Control panel lock
- Interior halogen light

Top oven additional features

- Cavity volume: 34 Litre
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom
- Full glass inner door

Main oven additional features

- EcoClean Direct :ceiling, back panel, side liners
- Cavity (inner surface) bottom: enamel grey
- EcoClean programme, Base Clean programme
- 1 Clip rail, Stop function
- Door hinge big cavity: Drop down door
- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- \bullet Temperature range 50 °C 275 °C
- ullet 3 x combination grid, 1 x universal pan

Performance/technical information

- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- \bullet Please refer to the dimensions provided in the installation manual



Dimensioned drawings Back panel open 19.5 145 min. 550 180 96 min. 891 888 Space for appliance connection 320 x 115 measurements in mm measurements in mm 888 774 550